

LAKE AND POND REMEDIATION, INC.

&

CHARLES AQUACULTURE, LLC

15350 N US Highway 301 Citra, FL 32113

LAPR Office: 352-595-8863

Fish farm Office: 352-595-1700

Service Report

Date: February 13, 2023

Biologist: Doug Charles

Client: Palencia, Marsh Creek CDD

Ratings: 1 – 10 (Best is 10)

Waterways: 32 ponds

Herbicides used: Glyphosate, Platoon

Comments: There is pine pollen (yellow film) on the surface of many of the ponds.

Lake I-2: **Rated: 9**

- Spikerush is under control.
- Minor alligatorweed around perimeter.
- No alligators observed.



Treatment: None at this time.

Recommendations: Keep an eye out for gators.

Lake N: **Rated: 10**

- Minor trash.
- Water level is high.



Treatment: I picked up trash.

Recommendations: Keep a lookout for gators.

Lake KK: **Rated: 10**

- Minor torpedo grass around perimeter.



Treatment: None needed.

Recommendations: Keep a lookout for gators.

LAKE AND POND REMEDIATION, INC.

&

CHARLES AQUACULTURE, LLC

15350 N US Highway 301 Citra, FL 32113

LAPR Office: 352-595-8863

Fish farm Office: 352-595-1700

Service Report

Lake JJ: Rated: 9

- Minor alligatorweed and bacopa.



Treatment: I hand raked the alligatorweed.

Recommendations: May need a couple more grass carp.

Lake LL: Rated: 9

- Minor shoreline grasses.
- Moderate planktonic algae on south side.



Treatment: I treated the shoreline grasses by backpack.

Recommendations: Keep a lookout for gators.

Lake X-1: **Rated: 10**

- Minor grasses.
- Some trash at barrier.



Treatment: I cleaned the fish barrier and picked up trash. I also treated shoreline grasses by backpack.

Recommendations: Keep a lookout for gators.

Lake V-2: **Rated: 9**

- Much improved as there is much less floating spikerush around the edge.
- Water level is up from last week.



Treatment: None needed.

Recommendations: Keep a lookout for gators.

LAKE AND POND REMEDIATION, INC.

&

CHARLES AQUACULTURE, LLC

15350 N US Highway 301 Citra, FL 32113

LAPR Office: 352-595-8863

Fish farm Office: 352-595-1700

Service Report

Lake Y-2: Rated: 9

- Aeration system is working and is diverting floating debris from NE cove as planned.
- Minor floating debris around edge.



Treatment: None needed.

Recommendations: Keep a lookout for gators.